

AdrenoMend™ Hormone Specific Formulation™

DESCRIPTION

AdrenoMend™ is a *Hormone Specific Formulation™* of ten highly valued herbal extracts with adaptogenic properties designed to support healthy, balanced adrenal gland function. This formula is designed to promote optimal function of homeostasis regulatory systems that work with the adrenal glands to maintain optimal physiological function during acute stress. ‡

FUNCTIONS

The response to stress - first defined as occurring in three stages by Hans Selye as alarm, resistance and exhaustion - typically results in aberrant adrenal function and adrenal fatigue, as well as abnormal cognitive, metabolic, energy, endurance, immune and glycemic function. The consequences of intermittent stress, or episodic acute stress during resistance or exhaustion, interfere with recovery and also promote abnormal neuro-endocrine, metabolic and immune system function. ‡

The plant adaptogens in AdrenoMend™ support the body's ability to adapt to stressors and help avoid the consequences from those stressors. Collectively, plant adaptogens can support symptoms of fatigue and enhance endurance as well as support normal mental and emotional well being. Plant adaptogens also can increase the body's ability to resist and recover from stress while providing an overall feeling of balance and normalization. ‡

During acute stress, and the alarm stage of stress, *Rhodiola rosea*, *Schizandra chinensis*, *Bacopa monnieri*, and *Eleutherococcus senticosus* can support mental performance and physical working capacity, as well as promote the balanced response of the sympatho-adrenal-system (SAS) to the body's acute reaction to a stressor. During the resistance stage, *Withania somnifera* and *Coleus forskohlii* are able to support the normal thyroid and gonadal function. In the exhaustion stage, the *Rehmannia glutinosa*, *Bupleurum falcatum* and *Withania somnifera* act as primary agents to restore proper function of the hypothalamic-pituitary-adrenal (HPA) axis and work synergistically with other plant adaptogens to support normal function of other body systems. Adaptogens with adrenotrophic properties may also decrease adrenal atrophy seen in the exhaustion stage. ‡

The increased cortisol levels seen in various stages of stress are modulated by *Schizandra chinensis* and *Magnolia officinalis*. *Rehmannia glutinosa* can help restore normal function of glucocorticoid receptors that have been down regulated due to chronically elevated levels of cortisol. *Bupleurum falcatum* supports adrenal recovery and normalization of the hypothalamic-pituitary-adrenal (HPA) system by promoting the release of adrenocorticotrophic hormone (ACTH), which is responsible for maintaining the normal size and function of the adrenal gland. ‡

Stress induced elevations of catecholamines and adrenaline-induced hyperglycemia can be modulated by *Magnolia officinalis*, *Panax ginseng* and *Rehmannia glutinosa*. While the primary benefit of plant adaptogens is the ability to restore healthy, balanced adrenal gland function by supporting normal hypothalamic-pituitary-adrenal (HPA) axis function, the effectiveness of these adaptogens is in large part also due to their ability to protect and promote the recovery of neuro-cognitive, neuromuscular, cardiovascular, glycemic, hepatic, thyroid, gonadal and immune system health. ‡

INDICATIONS

AdrenoMend™ may be a useful dietary supplement for individuals wishing to support healthy adrenal function with this unique blend of ingredients.

AdrenoMend™ Hormone Specific Formulation™

FORMULA (#200529)

Serving Size	2 capsules.....	4 capsules
Proprietary Blend.....	955 mg.....	1,910 mg
Proprietary Blend containing no less than 200 mg per 4 capsules for each of the following: <i>Schisandra chinensis</i> (seed, standardized to 2% schisandrins), <i>Bacopa monnieri</i> (aerial parts, standardized to 20% bacosides), <i>Rhodiola rosea</i> (root, standardized to 5% rosavins and 1% salidroside), <i>Eleutherococcus senticosus</i> (root, standardized to 0.8% eleutherosides), <i>Magnolia officinalis</i> (root, standardized to 5% honokiol), <i>Rhemannia glutinosa</i> (7:1 extract), <i>Bupleurum falcatum</i> (5:1 extract), <i>Panax ginseng</i> (root, standardized to 3% ginsenosides), <i>Coleus forskohlii</i> (root, standardized to 1% forskolin)		
Sensoril®	125 mg.....	250 mg
(Withania somnifera, root and leaf extract, standardized to a minimum of 10% withanolide glycoside conjugates and 32% oligosaccharides)		

SUGGESTED USE

As a dietary supplement, adults may take **2 capsules** each morning with food for **1 to 2 weeks** or as directed by your healthcare professional.

The dose may then be increased to **4 capsules** each morning with food for **1 to 3 months** or as directed by your healthcare professional.

After 1 to 3 months dosage may be lowered back down to **2 capsules** each morning with food and may continue on 2 capsules dosage as needed or as directed by your healthcare professional.

SIDE EFFECTS

No adverse effects have been reported.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

WARNING

If you are pregnant or nursing, consult your healthcare professional before using this product. If you are taking prescription medications, consult your healthcare professional before using this product.

REFERENCES

Bhattacharya SK, Muruganandam AV. Pharmacol Biochem Behav. 2003 Jun;75(3):547-55. [Withania somnifera].

Calabrese C, et al. J Altern Complement Med. 2008 Jul;14(6):707-13. [Bacopa monnieri].

Chowdhuri DK, et al. Phytother Res. 2002 Nov;16(7):639-45. [Bacopa monnieri].

Du J, Ling CQ, Chen YA. Zhongguo Zhong Xi Yi Jie He Za Zhi. 2008 Jan;28(1):64-7. [Rehmannia].

Fintelmann V, Gruenwald J. Adv Ther. 2007 Jul-Aug;24(4):929-39. [Rhodiola rosea].

Lee B, Shim I, Lee H, Hahm DH. Biol Pharm Bull. 2009 Aug;32(8):1392-8. [Bupleurum falcatum].

Panosian A, Wagner H. Phytother Res. 2005 Oct;19(10):819-38. [Adaptogens].

AdrenoMend™ **Hormone Specific Formulation™**

Panossian A, Wikman G. *Curr Clin Pharmacol*. 2009 Sep;4(3):198-219. [Adaptogens].

Panossian A, Wikman G. *J Ethnopharmacol*. 2008 Jul 23;118(2):183-212. doi: 10.1016/j.jep.2008.04.020. [Schisandra chinensis].

Sun LJ, et al. *Zhonghua Nan Ke Xue*. 2009 Feb;15(2):126-9. [Schisandra chinensis].

Tachikawa E, Kudo K. *J Pharmacol Sci*. 2004 Jun;95(2):140-4. [Ginseng].

Tachikawa E, Takahashi M, Kashimoto T. *Biochem Pharmacol*. 2000 Aug 1;60(3):433-40. [Magnolia].

Venkateswaran A, et al. *J Clin Endocrinol Metab*. 2004 Dec;89(12):6168-72.

Wang JM, et.al. *Metab Brain Dis*. 2018 Jun;33(3):885-892.

Xu Q, et al. *Prog Neuropsychopharmacol Biol Psychiatry*. 2008 Apr 1;32(3):715-25. Epub 2007 Nov 28. [Magnolia officinalis].

Zhang RX, et al. *Pharmazie*. 2004 Jul;59(7):552-6. [Rehmannia glutinosa].

For more information on AdrenoMend™, visit douglaslabs.com

‡ These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.